

See how our new site helps HVAC pros »



View full-size in new tab

Carrier® Comfort™ 80% Afue 70,000 Btuh Multipoise Gas Furnace

Item: 58STA070---1--12 MFR: 58STA070---1--12

What's the price?

[Sign in](#) for pricing.

Quantity *

Add To Cart





Save To List

Store Inventory

[Sign in](#) to see real-time inventory at the stores closest to you.

Frequently Bought Together



 <p>Image Coming Soon</p>	 <p>Image Coming Soon</p>	 <p>Image Coming Soon</p>	 <p>Image Coming Soon</p>
<p>Dual Filter Plenum Non-Insulated</p> <p>Item: PL16X25X36 MFR: MP-DFP1625NL</p> <p>What's the price? Sign in for pricing.</p>	<p>Dual Filter Plenum Non-Insulated</p> <p>Item: PL16X25X36 MFR: MP-DFP1625NL</p> <p>What's the price? Sign in for pricing.</p>	<p>Dual Filter Plenum Non-Insulated</p> <p>Item: PL16X25X36 MFR: MP-DFP1625NL</p> <p>What's the price? Sign in for pricing.</p>	<p>Dual Filter Plenum Non-Insulated</p> <p>Item: PL16X25X36 MFR: MP-DFP1625NL</p> <p>What's the price? Sign in for pricing.</p>

Description

The 58STA 4-way Multipoise Gas Furnaces feature Carrier's QuieTech™ noise reduction system for incredibly quiet induced draft operation. Applications are easy with 4-way multipoise design, through-the-furnace downflow venting, 13 different venting options, and designed for easy service access. An inner blower door is provided for tighter sealing in sensitive applications. The 58STA furnaces are approved for use with natural or propane gas.

STANDARD FEATURES

- **QuieTech™ noise reduction system**
- **Microprocessor based control center**
- **4-way Multipoise furnace, 13 vent applications**
- **Compact design - only 33-1/3 in. (847 mm) tall**
- **Power Heat™ Igniter**
- **Draft safeguard switch to ensure proper furnace venting**
- **Inner door for tighter sealing**
- **Certified to leak 2 percent or less of its nominal air conditioning CFM delivered when pressurized to 1-In. Water Gauge with all present air inlets and air outlets sealed.**
- **HYBRID HEAT® Dual Fuel System compatible**
- **All models are chimney friendly when used with accessory vent kit**
- **Twinning in Upflow, Downflow and Horizontal**

Documentation

 [Data sheet](#)

Specifications

Weight	115 Pound (lb.)
Length	29 Inches (in)
Width	14.1875 Inches (in)
Height	33.3333 Inches (in)
Country of Origin	USA
UPC or Barcode	1P58STA070---1--12
Hazardous Material	No
EPA Cert Required	No
AFUE	80%
Air Flow	Multi-Position
Blower Motor HP	1/3 HP
Blower Motor Type	PSC
Brand	Carrier
BTU Input	66000
BTU Output	54000
CFM	1200
Cycle/Hertz	60
Energy Star Rated	No

Equipment Type	Furnace
Gas Connection	1/2" [12.7 mm] N.P.T.
Heating Capacity	54000
Ignition Type	Electronic
ISO Code	US
Maximum Fuse Size	15
Phase	Single
Tier	Comfort
Voltage	115 VAC

Recently Viewed



Carrier® Comfort™ 80%
Afue 70,000 Btuh
Multipoise Gas Furnace

Item: 58STA070---1--12
MFR: 58STA070---1--12

What's the price?

[Sign in](#) for pricing.

Add To Cart

